Safety Data Sheet according to<br/>Regulation (EC) No. 1907/2006<br/>(REACH)Photopolymer E-Guard - EU, E-<br/>Guard, E-Guard 2.0Print date20.08.2020Revision date15.07.2019Version1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name/designation Photopolymer E-Guard - EU, E-Guard, E-Guard 2.0

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

## **Relevant identified uses**

# Sector of uses [SU] Light curing resin for EnvisionTec's family Computer Aided Modeling Devices

# 1.3 Details of the supplier of the safety data sheet

# Manufacturer

Envisiontec GmbH Brusseler str., 51 Germany-D45968 Gladbeck Telephone: 49204398750 Telefax: 492043987599 E-mail: info@envisiontec.com Information telephone: 49204398750 Information telefax: 492043987599 www.envisiontec.com

1.4 Emergency telephone number

Only available during office hours.

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 [CLP]

# health hazards

Skin Irrit. 2

# hazard statements for health hazards

H315 Causes skin irritation.

# health hazards

Skin Sens. 1

# hazard statements for health hazards

H317 May cause an allergic skin reaction.

### health hazards

Eye Irrit. 2

# hazard statements for health hazards

H319 Causes serious eye irritation.

### **Environmental hazards**

Aquatic Chronic 3

# hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Safety Data Sheet according to<br/>Regulation (EC) No. 1907/2006<br/>(REACH)Photopolymer E-Guard - EU, E-<br/>Guard, E-Guard 2.0Print date20.08.2020Revision date15.07.2019Version1.0

# 2.2 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms



GHS07 Signal word Warning

# Hazard statements

### hazard statements for health hazards

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

### Hazard statements for environmental hazards:

H412 Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

### General:

P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

### **Prevention:**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.P273 Avoid release to the environment.P280 Wear protective gloves/protective clothing/eye protection/face protection.

### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water/. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### Storage:

P404 Store in a closed container.

### Disposal:

P501 Dispose of contents/container to industrial incineration plant.

### 2.3 Other hazards

### Other adverse effects

People who suffer from skin sensitazion problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in any process using this preparation.

# **SECTION 3: Composition / information on ingredients**

### remark

Full text of H- and EUH-phrases: see section 16.

Safety Data Sheet according to<br/>Regulation (EC) No. 1907/2006<br/>(REACH)Photopolymer E-Guard - EU, E-<br/>Guard, E-Guard 2.0Print date20.08.2020Revision date15.07.2019

Version	1.0

### 3.1/3.2 Substances/Mixtures

Hazardous ingredients Methacrylated monomer CAS Proprietary Aquatic Chronic 4, H413	40 - 80 %
Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide CAS 75980-60-8 EC 278-355-8 Repr. 2, H361f	1 - 3 %
Methacrylated oligomer CAS Proprietary Skin Irrit. 2, H315 / Skin Sens. 1, H317 / Eye Irrit. 2, H319	10 - 50 %
Methacrylated monomer CAS Proprietary Skin Irrit. 2, H315 / Skin Sens. 1, H317 / Eye Irrit. 2, H319	10 - 30 %

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

Remove contaminated, saturated clothing immediately.

### **Following inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration.

### Following skin contact

After contact with skin, wash immediately with plenty of water and soap.

### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

### After ingestion

Do not induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

**4.2 Most important symptoms and effects, both acute and delayed** No data available

### 4.3 Indication of any immediate medical attention and special treatment needed

### Special treatment

Treat symptomatically

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Foam

Extinguishing powder Carbon dioxide (CO2)

### Unsuitable extinguishing media

Strong water jet

Safety Data Sheet according to<br/>Regulation (EC) No. 1907/2006<br/>(REACH)Photopolymer E-Guard - EU, E-<br/>Guard, E-Guard 2.0Print date20.08.2020Revision date15.07.2019Version1.0

# 5.2 Special hazards arising from the substance or mixture

# Hazardous combustion products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2)

## **5.3 Advice for firefighters**

### Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### Additional information

Clear spills immediately.

### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

### **Emergency procedures**

Provide adequate ventilation. Remove all sources of ignition.

#### Personal precautions

Use personal protection equipment.

### For emergency responders

### Personal protection equipment

Use appropriate respiratory protection.

### 6.2 Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3 Methods and material for containment and cleaning up

### For containment

# Suitable material for taking up

Sand

### Chemical binding agents, containing acids

### 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Work in well-ventilated zones or use proper respiratory protection. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

Provide eye shower and label its location conspicuously

Wash contaminated clothing prior to re-use.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Photopolymer E-Guard - EU, E-Guard, E-Guard 2.0 Print date 20.08.2020

Print date20.06.2020Revision date15.07.2019Version1.0

## **Protective measures**

### Advices on safe handling

Provide room air exhaust at ground level. If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Measures to prevent fire

Keep away from sources of ignition - No smoking. Usual measures for fire prevention. Take precautionary measures against static discharges. When using do not eat, drink, smoke, sniff.

### 7.2 Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container. Protect from the action of light. Store at 5 - 30 degree C.

### Hints on joint storage

### Materials to avoid

Oxidising agent Reducing agent Strong alkali Alcohols

### Further information on storage conditions

Keep container tightly closed and in a well-ventilated place. Protect containers against damage. Protect against:

UV-radiation/sunlight

## 7.3 Specific end use(s)

### Recommendation

Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

No data available

### 8.2 Exposure controls

### Personal protection equipment

### Eye/face protection

### Suitable eye protection

Eye glasses with side protection goggles

### **Skin protection**

### Suitable gloves type Disposable gloves

Suitable material NBR (Nitrile rubber) Butyl caoutchouc (butyl rubber)

### Unsuitable material

NR (natural rubber, natural latex)

Safety Data Sheet according to<br/>Regulation (EC) No. 1907/2006<br/>(REACH)Photopolymer E-Guard - EU, E-<br/>Guard, E-Guard 2.0Print date20.08.2020Print date15.07.2019Version1.0

### **Body protection**

Suitable protective clothing Apron

lab coat

### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: insufficient ventilation

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state** 

liquid

#### Colour

transparent clear

### Odour

Acrylate

		parameter	Method - source - remark
рН			not determined
Melting point/freezing point			not determined
Initial boiling point and boiling range	>100 °C		
Flash point (°C)	>150 °C		
Evaporation rate			not determined
flammability			not determined
Upper explosion limit			not determined
lower explosion limit			not determined
Vapour pressure			not determined
Vapour density			not determined
Relative density	1.06 - 1.12 g/cm³	Temperature 25 °C	
Fat solubility (g/L)			not determined
Water solubility (g/L)			practically insoluble
Soluble (g/L) in			Isopropanol
Partition coefficient: n-octanol/water			not determined
Auto-ignition temperature			not determined
Decomposition temperature			not determined

Safety Data Sheet according to<br/>Regulation (EC) No. 1907/2006<br/>(REACH)Photopolymer E-Guard - EU, E-<br/>Guard, E-Guard 2.0Print date20.08.2020Revision date15.07.2019Version1.0

		parameter	Method - source - remark
Dynamic viscosity	200 - 500 mPa*s	Temperature 30 °C	
flow time			not determined
Kinematic viscosity			not determined
<b>9.2 Other information</b> No data available			

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No hazardous reaction when handled and store to provisions.

### **10.2 Chemical stability**

The product is stable under storage at normal ambient temperatures.

## 10.3 Possibility of hazardous reactions

Danger of polymerisation with heat evolution in presence of radical forming substances, reducing agents, and/or heavy metals ions.

### **10.4 Conditions to avoid**

In case of light influence: Danger of polymerisation Can polymerize with intensive heat release.

# 10.5 Incompatible materials

### Materials to avoid

Oxidising agent Reducing agent Radical former Peroxides Alkali (lye) Heavy metals

### **10.6 Hazardous decomposition products**

Carbon monoxide Carbon dioxide

# **SECTION 11: Toxicological information**

#### **Additional information** Product has not been tested. The statement is derived from properties of the components.

# 11.1 Information on toxicological effects

### Acute toxicity

### Acute dermal toxicity

**ingredient** Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide **Acute dermal toxicity** >2000 mg/kg

### Effective dose

LD50:

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Photopolymer E-Guard - EU, E-Guard, E-Guard 2.0 Print date 20.08.2020 Revision date 15.07.2019

Version

1.0

# Species:

Rat

Method **OECD 402** 

# Acute oral toxicity

ingredient Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Acute oral toxicity >5000 mg/kg

# Effective dose

LD50:

Species:

Rat

Method

**OECD 401** 

# skin corrosion/irritation

Assessment/classification

Irritant.

# Respiratory or skin sensitisation

# Sensitisation to the respiratory tract

# Assessment/classification

May cause sensitization by inhalation and skin contact.

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

# Reproductive toxicity

# Assessment/classification

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide The results of animal studies suggest a fertility impairing effect.

# **SECTION 12: Ecological information**

# Additional information

Do not allow uncontrolled discharge of product into environment. Do not allow to enter into surface water or drains. The product has not been tested. The statement is derived from the properties of the components.

# 12.1 Toxicity

# Aquatic toxicity

Acute (short-term) fish toxicity ingredient Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Acute (short-term) fish toxicity 6.53 mg/L Effective dose LC50: Test durarion 48 h species Oryzias latipes (Ricefish) ingredient Methacrylated monomer Acute (short-term) fish toxicity >1000 mg/L

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Photopolymer E-Guard - EU, E-Guard, E-Guard 2.0 Print date 20.08.2020 Revision date 15.07.2019

Revision date	15.07.2019
Version	1.0

# Effective dose

LC50:

Test durarion 96 h

### species

Brachydanio rerio (zebra-fish)

### Acute (short-term) toxicity to crustacea

**ingredient** Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide **Acute (short-term) toxicity to crustacea** 3.53 mg/L

# Effective dose

EC50

Test durarion 48 h

### species

Daphnia magna (Big water flea)

# Method

OECD 202

# 12.2 Persistence and degradability

# Assessment/classification

The product has not be tested.

### 12.3 Bioaccumulative potential

Assessment/classification

The product has not be tested.

# 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

The product has not be tested.

# 12.6 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

### Appropriate disposal / Product

Dispose of waste according to applicable legislation.

Waste code packaging 070208 hazardous waste Yes.

### Waste name

other still bottoms and reaction residues **Waste code product** 070208 **hazardous waste** Yes.

### Waste name

other still bottoms and reaction residues

Safety Data Sheet according to<br/>Regulation (EC) No. 1907/2006<br/>(REACH)Photopolymer E-Guard - EU, E-<br/>Guard, E-Guard 2.0Print date20.08.2020Revision date15.07.2019Version1.0

# **SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN-No.	not applicable	not applicable	not applicable
14.2 Proper Shipping Name	not applicable	not applicable	not applicable
14.3 Class(es)	not applicable	not applicable	not applicable
14.4 Packing group	not applicable	not applicable	not applicable
14.5 ENVIRONMENTALLY HAZARDOUS	not applicable	not applicable	not applicable
14.6 Special precautions for us	er not applicable	not applicable	not applicable
14.7 Transport in bulk accordin to Annex II of MARPOL 73/78	g not applicable	not applicable	not applicable

and the IBC Code

### Additional information - Land transport (ADR/RID)

#### remark

No dangerous good in sense of this transport regulation.

### Additional information - Sea transport (IMDG)

#### remark

No dangerous good in sense of this transport regulation.

Additional information - Air transport (ICAO-TI / IATA-DGR)

#### remark

No dangerous good in sense of this transport regulation.

### Additional information

# All transport carriers

No data available

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU legislation

### Authorisations and/or restrictions on use

#### **Restrictions of occupation**

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

### **15.2 Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Additional information

Observe labels and safety data sheets for chemicals used in processing. Notice the directions for use on the label.

Safety Data Sheet according to<br/>Regulation (EC) No. 1907/2006<br/>(REACH)Photopolymer E-Guard - EU, E-<br/>Guard, E-Guard 2.0Print date20.08.2020<br/>15.07.2019

	20.00.2020
Revision date	15.07.2019
Version	1.0

# Relevant R-, H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

### Key literature references and sources for data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.