

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name/designation** Photopolymer E-Shore A 80

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

##### Sector of uses [SU]

Light curing resin for EnvisionTec's family Computer Aided Modeling Devices

### 1.3 Details of the supplier of the safety data sheet

#### Importer/Only Representative

Envisiontec GmbH

Brusseler Str., 51

Germany-D 45968 Gladbeck

Telephone: +49204398750

E-mail: info@envisiontec.com

Information telephone: +49204398750

www.envisiontec.com

### 1.4 Emergency telephone number

This number is serviced during office hours.

---

## SECTION 2: Hazards identification

### Hazards description

#### Hazard designation:

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

##### health hazards

Skin Irrit. 2

##### hazard statements for health hazards

H315 Causes skin irritation.

##### health hazards

Skin Sens. 1

##### hazard statements for health hazards

H317 May cause an allergic skin reaction.

##### health hazards

Eye Dam. 1

##### hazard statements for health hazards

H318 Causes serious eye damage.

##### health hazards

STOT SE 3

##### hazard statements for health hazards

H335 May cause respiratory irritation.

##### health hazards

STOT RE 2

---

### hazard statements for health hazards

H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

## 2.2 Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### Hazard pictograms



GHS07



GHS05



GHS08

#### Signal word

Warning

#### Hazard statements

### hazard statements for health hazards

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

#### Precautionary statements

##### General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

##### Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

##### Disposal:

P501 Dispose of contents/container to industrial incineration plant.

#### Product identifiers

Phosphine oxide

Acrylated monomer

#### Special rules on packaging

Tactile warning according to EN/ISO 11683.

## 2.3 Other hazards

### Other adverse effects

People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance. Process vapours can irritate airways, skin and eyes.

## SECTION 3: Composition / information on ingredients

### remark

Full text of H- and EUH-statements: see section 16.

---

### 3.1/3.2 Substances/Mixtures

#### Hazardous ingredients

Phosphine oxide	<1 %
CAS Proprietary	
Skin Sens. 1, H317 / Repr. 2, H361	
Acrylated monomer	30 - 60 %
CAS Proprietary	
Skin Irrit. 2, H315 / Eye Irrit. 2, H319	
Acrylated oligomer	1 - 5 %
CAS Proprietary	
Skin Irrit. 2, H315 / Eye Dam. 1, H318 / Eye Irrit. 2, H319	
Acrylated monomer	1 - 5 %
CAS Proprietary	
Acute Tox. 4, H302 / Skin Sens. 1, H317 / Eye Dam. 1, H318 / STOT RE 2, H373	
Glass beads	45 - 75 %
CAS 65997-17-3	
Skin Irrit. 2, H315 / Eye Irrit. 2, H319 / STOT SE 3, H335	

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Change contaminated, saturated clothing.

#### Following inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. If breathing is irregular or stopped, administer artificial respiration.

#### Following skin contact

Wash immediately with:

Water and soap

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

If swallowed, immediately drink:

Water. Induce vomiting when the affected person is not unconscious.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

No symptoms known up to now.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

#### Additional information

The product itself is not combustible. In case of fire and/or explosion do not breathe fumes.

## 5.1 Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>)

Dry extinguishing powder.

Foam

Water spray

## 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

### Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

---

## SECTION 6: Accidental release measures

### Additional information

Do not use a brush or compressed air for cleaning surfaces or clothing. Clear spills immediately. Eliminate leaks immediately.

## 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

#### Personal precautions

Wear personal protection equipment. Remove all sources of ignition.

### For emergency responders

#### Personal protection equipment

Use appropriate respiratory protection.

## 6.2 Environmental precautions

Do not empty into drains or the aquatic environment.

## 6.3 Methods and material for containment and cleaning up

### For containment

#### Suitable material for taking up

Absorbing material, organic

Sand

## 6.4 Reference to other sections

No data available

---

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work.

Provide eye shower and label its location conspicuously

### Protective measures

#### Advices on safe handling

Avoid:

Skin contact

Eye contact

---

Always close containers tightly after the removal of product.

### Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

### Environmental precautions

See section 8.

## 7.2 Conditions for safe storage, including any incompatibilities

### Hints on joint storage

### Materials to avoid

Materials to avoid

Oxidising agent

Strong alkali

Alcohols

Reducing agent

### Storage class

No storage class

### Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place.

Recommended storage temperature:

Protect containers against damage.

## 7.3 Specific end use(s)

No data available

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

No data available

### 8.2 Exposure controls

#### Appropriate engineering controls

#### Structural measures to prevent exposure

Do not use above following temperatures:

#### Personal protection equipment

##### Eye/face protection

##### Suitable eye protection

Eye glasses with side protection

goggles

##### Skin protection

##### Suitable gloves type

Disposable gloves

##### Suitable material

NBR (Nitrile rubber)

##### Body protection

##### Suitable protective clothing

Lab apron. Lab coat.

##### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

---

## Environmental exposure controls

### Instructional measures to prevent exposure

Do not use above following temperatures:

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

#### Physical state

liquid

#### Colour

opaque

white

#### Odour

Acrylate

		parameter	Method - source - remark
pH	6.8 - 7.2	Temperature 25 °C	
Melting point/freezing point			not determined
Initial boiling point and boiling range	>100 °C		
Flash point (°C)	>100 °C		
Evaporation rate			not determined
flammability			not determined
Upper explosion limit			not determined
lower explosion limit			not determined
Vapour pressure			not determined
Vapour density			not determined
Relative density	1.5 - 1.7 g/cm <sup>3</sup>	Temperature 25 °C	
Fat solubility (g/L)			not determined
Water solubility (g/L)			not determined
Soluble (g/L) in			Soluble in: Isopropanol Alcohol
Soluble (g/L) in			Insoluble in: water
Partition coefficient: n-octanol/water			not determined
Auto-ignition temperature			not determined
Decomposition temperature			not determined
Dynamic viscosity	1000 - 2000 mPa*s	Temperature 25 °C	
flow time			not determined

---

parameter

Method - source - remark

---

Kinematic viscosity

not determined

## 9.2 Other information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

In case of light influence:

Danger of polymerisation

### 10.5 Incompatible materials

#### Materials to avoid

Reacts with :

Oxidizing agents. Reducing agents. Peroxides.

Radical former

### 10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

Carbon dioxide

Carbon monoxide

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute dermal toxicity

**ingredient** Acrylated oligomer

**Acute dermal toxicity** >5000 mg/kg

##### Effective dose

LD50:

##### Species:

Rat

**ingredient** Acrylated monomer

**Acute dermal toxicity** >2000 mg/kg

##### Effective dose

LD50:

##### Species:

Rat

##### source

Literature

**ingredient** Acrylated monomer

**Acute dermal toxicity** >5000 mg/kg

**source**

Estimate

**ingredient** Phosphine oxide

**Acute dermal toxicity** >2000 mg/kg

**Effective dose**

LD50:

**Species:**

Rat

**Method**

OECD 402

**Acute inhalation toxicity (vapour)**

**ingredient** Acrylated monomer

**Acute inhalation toxicity (vapour)** 5.28 mg/kg

**Effective dose**

LC50:

**Exposure time** 4 h

**Species:**

Rat

**Acute oral toxicity**

**ingredient** Acrylated monomer

**Acute oral toxicity** >2000 mg/kg

**Effective dose**

LD 0:

**Species:**

Rat

**ingredient** Acrylated monomer

**Acute oral toxicity** 588 mg/kg

**Effective dose**

LD50:

**Species:**

Rat

**Method**

OECD 401

**ingredient** Phosphine oxide

**Acute oral toxicity** >5000 mg/kg

**Effective dose**

LD50:

**Species:**

Rat

**Method**

OECD 401



### skin corrosion/irritation

#### Assessment/classification

Irritant.

### Serious eye damage/irritation

#### In vitro eye test

Irritant. Irritating to eyes. Risk of serious damage to eyes.

#### Species:

Rabbit.

### Respiratory or skin sensitisation

#### Skin sensitisation

#### Assessment/classification

May cause sensitization by inhalation and skin contact.

### STOT-single exposure

#### STOT SE 3

### Irritation to respiratory tract

#### Assessment/classification

May cause respiratory irritation.

### STOT-repeated exposure

#### STOT RE 1 and 2

### Oral specific target organ toxicity (repeated exposure)

#### Other information

May causes damage to organs through prolonged or repeated exposure if swallowed.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

**Acute (short-term) fish toxicity** >200 mg/L

#### Effective dose

LC50:

**Test duration** 96 h

#### species

Brachydanio rerio (zebra-fish)

**ingredient** Phosphine oxide

**Acute (short-term) fish toxicity** 1 - 10 mg/L

#### Effective dose

LC50:

**Test duration** 96 h

#### species

Brachydanio rerio (zebra-fish)

**Acute (short-term) toxicity to crustacea**

**ingredient** Acrylated monomer

**Acute (short-term) toxicity to crustacea** >200 mg/L

---

---

**Effective dose**

EC50

**Test duration** 48 h

**species**

Daphnia magna (Big water flea)

**Method**

OECD 202

**ingredient** Phosphine oxide

**Acute (short-term) toxicity to crustacea** 3.53 mg/L

**Effective dose**

EC50

**Test duration** 48 h

**species**

Daphnia magna (Big water flea)

**Method**

OECD 202

**Acute (short-term) toxicity to aquatic algae and cyanobacteria**

**ingredient** Acrylated monomer

**Acute (short-term) toxicity to aquatic algae and cyanobacteria** 120 mg/L

**Effective dose**

EC50

**Test duration** 72 h

**species**

Pseudokirchneriella subcapitata

**Method**

OECD 201

**ingredient** Phosphine oxide

**Acute (short-term) toxicity to aquatic algae and cyanobacteria** 2.01 mg/L

**Effective dose**

EC50

**Test duration** 72 h

**species**

Pseudokirchneriella subcapitata

**Method**

OECD 201

**Assessment/classification**

Do not allow uncontrolled discharge of product into environment. Do not allow to enter into surface water or drains. The product has not been tested. The statement is derived from the properties of the components.

**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

**Assessment/classification**

not readily biodegradable (according to OECD criteria)

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Appropriate disposal / Product**

Waste disposal according to official state regulations.

**Appropriate disposal / Package**

Handle contaminated packaging in the same way as the substance itself.

**Waste code packaging** 070208

**hazardous waste** Yes.

**Waste name**

other still bottoms and reaction residues

**Waste code product** 070208

**hazardous waste** Yes.

**Waste name**

other still bottoms and reaction residues

**SECTION 14: Transport information**

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN-No.	not applicable	not applicable	not applicable
14.2 Proper Shipping Name	not applicable	not applicable	not applicable
14.3 Class(es)	not applicable	not applicable	not applicable
14.4 Packing group	not applicable	not applicable	not applicable
14.5 ENVIRONMENTALLY HAZARDOUS	not applicable	not applicable	not applicable
14.6 Special precautions for user	not applicable	not applicable	not applicable
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	not applicable	not applicable	not applicable

**Additional information - Land transport (ADR/RID)**

**remark**

No dangerous good in sense of this transport regulation.

**Additional information - Air transport (ICAO-TI / IATA-DGR)**

**remark**

Not a hazardous material with respect to these transportation regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

#### Authorisations and/or restrictions on use

#### Restrictions of occupation

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

### 15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

---

## SECTION 16: Other information

### Additional information

Observe labels and safety data sheets for chemicals used in processing. Notice the directions for use on the label.

### Relevant R-, H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

H373 May cause damage to organs (or state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard).

### Key literature references and sources for data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.