



Version: 1

Revision date: 01.02.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

optiprint

splint (385, HR, SLA), I-B-T 385, tray (385, HR, SLA), model, model clear 385, ortho-model (HR, SLA) gingiva, cast, temp, denture, match, x-ray, guide (385, 405, HR, SLA), mock-up (HR)

Additive Resin

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laser-curing resin for the production of dental objects based on a stereolithography process with 385 nm / 405 nm lightsource.

Uses advised against:

1.3. Details of the supplier of the safety data sheet

Manufacturer

dentona AG
Otto-Hahn-Str. 27

D 44227 Dortmund

Telephone: +49 (0) 231 5556-0
Telefax: +49 (0) 231 5556-30

Supplier (manufacturer/importer/only representative/downstream user/distributor)

dentona AG
Otto-Hahn-Str. 27

D 44227 Dortmund

Telephone: +49 (0) 231 5556-0
Telefax: +49 (0) 231 5556-30

Information contact

+49 (0) 231 5556-0

Information telephone: +49 (0) 231 5556-0
Information telefax: +49 (0) 231 5556-30
E-mail (competent person): info@dentona.de
Website: www.dentona.de

National contact

dentona AG

Information telephone: +49 (0) 231 5556-0
Information telefax: +49 (0) 231 5556-30
E-mail (competent person): info@dentona.de
Website: www.dentona.de

Dept. responsible for information:

Abteilung F&E

1.4. Emergency telephone number

dentona AG

Telephone: +49 (0) 231 5556 0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008:

Skin Irrit. 2; H315 , Eye Irrit. 2; H319 , Skin Sens. 1; H317 , STOT SE 3; H335

Directive 67/548/EEC:

Xi; R36 , Xi; R38 , Xi; R37 , -; R43

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



Signal word:

GHS07

Hazard statements:

Warning

315 Causes skin irritation.

317 May cause an allergic skin reaction.

319 Causes serious eye irritation.

335 May cause respiratory irritation.

Precautionary statements:

264.1 Wash hands thoroughly after handling.

280 Wear protective gloves/protective clothing/eye protection/face protection.

302+352 IF ON SKIN: Wash with plenty of water/.?.

321 Specific treatment (see .? on this label).

332+313 If skin irritation occurs: Get medical advice/attention.

362+364 Take off contaminated clothing and wash it before reuse.

Classification according to Directive 67/548/EEC or 1999/45/EC

Hazard symbols:




R-phrases: Xi Irritant.
36 Irritating to eyes.
37 Irritating to respiratory system.
38 Irritating to skin.
43 May cause sensitization by skin contact.

S-phrases: 20/21 When using do not eat, drink or smoke.
28.2 After contact with skin, wash immediately with plenty of water and soap.

Classification according to NFPA Hazard Identification System

Hazard symbol:



Health hazard: 1

Flammability: 1

Reactivity: 1

Special precautions:

Classification according to HMIS (Hazardous Materials Identification System)

Hazard symbol:

HEALTH	1
FLAMMABILITY	1
PHYSICAL HAZARD	1
B	

Health hazard: 1
 Flammability: 1
 Physical hazards: 1
 Personal protective equipment: B

2.3. Other hazards

SECTION 3: Composition / information on ingredients

3.1. Substances

3.2. Mixtures

Composition/information on ingredients

Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	41637-38-1	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335	Xi; R36/37/38 -; R43
---	------------	--	-------------------------

Substance with a common (EC) occupational exposure limit value

Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	41637-38-1	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 STOT SE 3; H335	Xi; R36/37/38 -; R43
---	------------	--	-------------------------

(Full text of R-, H- and EUH-phrases: see section 16.)

Additional information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: Remove contaminated, saturated clothing immediately. When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice.

Following inhalation: Provide fresh air.

Following skin contact: Wash immediately with: Water and soap

After eye contact: In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion: Never give anything by mouth to an unconscious person or a person with cramps. Call a physician immediately.

Self-protection of the first aider:

4.2. Most important symptoms and effects, both acute and delayed

Symptoms:

Nature of Hazard:

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

Special treatment:

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Dry extinguishing powder Dry sand

Unsuitable extinguishing media: Excess water

5.2. Special hazards arising from the substance or mixture

In case of fire: Wear self-contained breathing apparatus. Co-ordinate fire-fighting measures to the fire surroundings.

5.3. Advice for firefighters

General information

Do not inhale explosion and combustion gases. Co-ordinate fire-fighting measures to the fire surroundings.

Special protective equipment for firefighters:

In case of fire: Wear self-contained breathing apparatus. Do not inhale explosion and combustion gases. Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Remove all sources of ignition. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow to enter into water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

All work processes must always be designed so that the following is excluded: Inhalation

Technical measures

All work processes must always be designed so that the following is excluded: Inhalation

Precautions against fire and explosion

Always close containers tightly after the removal of product. Use only in well-ventilated areas.

Additional information

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Only use the material in places where open light, fire and other flammable sources can be kept away. Use only in well-ventilated areas.

Packaging materials

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage

Keep only in the original container in a cool, well-ventilated place. Keep in a cool, well-ventilated place.

Storage class: 10 Combustible liquids unless LGK 3A or 3B.

Further information on storage conditions

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

occupational exposure limit value

Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	41637-38-1				
---	------------	--	--	--	--

Substance with a common (EC) occupational exposure limit value

Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	41637-38-1				
---	------------	--	--	--	--

DNEL-/PNEC-values

DNEL value

Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	41637-38-1				

PNEC Value

Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	41637-38-1				

Risk management measures according to used control banding approach

Additional information

8.2. Exposure controls

Occupational exposure controls

General protection and hygiene measures

Personal protection equipment

Respiratory protection

Respiratory protection

Hand protection

NBR (Nitrile rubber)

Eye/face protection

Eye glasses with side protection

Body protection

lab coat

Environmental exposure controls

Consumer exposure controls

Exposure Scenario

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: liquid
Colour: various
Odour: spezific
Odour threshold:

Safety relevant basis data

	parameter	unit	remark
Density:		1,1 g/cm3	
Bulk density:			n.a.

pH:		n.a.
Melting point/freezing point:		n.a.
Initial boiling point and boiling range:		n.a.
Flash point:	>150 °C	
Flammability (solid, gas):		n.a.
Explosivity:		n.a.
Lower explosion limit:		n.a.
Upper explosion limit:		n.a.
Ignition temperature:		n.a.
Decomposition temperature:		n.a.
Oxidizing potential:		n.a.
Vapour pressure:		n.a.
Vapour density:		n.a.
Evaporation rate:		n.a.
Water solubility:		nein
Fat solubility:		
Soluble in:	:	
Partition coefficient: n-octanol/water:		n.a.
Viscosity:	ca.700- 1200 Pa s	
Solvent separation test:		n.a.
Solvent content:		n.a.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

n.a.

10.2. Chemical stability

n.a.

10.3. Possibility of hazardous reactions

n.a.

10.4. Conditions to avoid

Reaction with light, risk of polymerisation

10.5. Incompatible materials

Reaction with peroxides and rad. Compounds

10.6. Hazardous decomposition products

unstable products can polymerise spontan

Additional information

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	41637-38-1	
---	------------	--

Specific symptoms in laboratory animals

Irritation and etching

Irritant effect on the skin

Irritant effect on the eye

Irritant effect on the respiratory tract

Additional information

Sensitization

Repeated dose toxicity (subacute, subchronic, chronic)

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Germ cell mutagenicity

Reproductive toxicity

General remarks

Practical experience/human evidence

Other observations

Other information

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Bisphenol A-ethoxylat (2 EO/Phenol) Dimethacrylat	41637-38-1	
---	------------	--

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

Further ecological information

Further details

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal/Product

Dispose of waste according to applicable legislation.

Appropriate disposal / Package

Appropriate disposal / Package

List of proposed waste codes/waste designations in accordance with EWC

Waste code product:

Waste code packaging:

remark

SECTION 14: Transport information

14.1. UN number

UN No.:

14.2. UN proper shipping name

Official directive for the transport

Proper Shipping name

14.3. Transport hazard class(es)

Hazard label(s):

Classification code:

14.4. Packing group

Packing group:

14.5. Environmental hazards

Environmental hazards:

14.6. Special precautions for user

Land transport (ADR/RID)

Remark:

Transport category:

Tunnel restriction code:

Special provisions:

Limited quantity (LQ):

Sea transport (IMDG)

Special Provisions:

Remark:

EmS-No:

MFAG:

Marine pollutant:

Special provisions:

Limited quantity (LQ):

UN proper shipping name

Remark:

Limited quantity (LQ):

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remark:

SECTION 15: Regulatory information

Labeling

Hazardous component(s) for labelling

Special labelling of particular preparations

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).

Regulation (EC) No 2037/2000 concerning materials, which cause damage to the ozone layer.

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulations

Observe in addition any national regulations!

Restrictions of occupation

Storage class

10 Combustible liquids unless LGK 3A or 3B.

Water hazard class (WGK)

1 weak water pollutant (WGK 1)

Other regulations, restrictions and prohibition regulations

15.2. Chemical Safety Assessment

For this preparation a chemical safety assessment has been carried out:

SECTION 16: Other information

Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements

- 315 Causes skin irritation.
- 317 May cause an allergic skin reaction.
- 319 Causes serious eye irritation.
- 335 May cause respiratory irritation.

R-phrases

- 36 Irritating to eyes.
- 37 Irritating to respiratory system.
- 38 Irritating to skin.
- 43 May cause sensitization by skin contact.

Training advice

Recommended restrictions of use

Further remarks

Documentation of changes

Key literature references and sources for data

Abbreviations and acronyms
