

Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

Print date 24.11.2021 Revision date 24.11.2021

Version 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name/designation Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses

# Sector of uses [SU]

Light curing resin for EnvisionTec's family Computer Aided Modeling Devices

# 1.3 Details of the supplier of the safety data sheet

# Importer/Only Representative

Envisiontec GmbH Brusseler str., 51

Germany-D 45968 Gladbeck Telephone: +49204398750 E-mail: info@envisiontec.com

Information telephone: +49204398750

www.envisiontec.com

### 1.4 Emergency telephone number

This number is serviced during office hours.

#### **SECTION 2: Hazards identification**

#### **Hazards description**

# Hazard designation:

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

# 2.1 Classification of the substance or mixture

# Additional information

No information available for acute dermal and inhalative toxicity

# Classification according to Regulation (EC) No 1272/2008 [CLP]

#### health hazards

### hazard statements for health hazards

H317 May cause an allergic skin reaction.

### **Environmental hazards**

Aquatic Chronic 4

#### hazard statements for environmental hazards

H413 May cause long lasting harmful effects to aquatic life.

### 2.2 Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**Hazard pictograms** 



Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

Print date 24.11.2021 Revision date 24.11.2021

Version 1.0



GHS07

# Signal word

Warning

### **Hazard statements**

### hazard statements for health hazards

H317 May cause an allergic skin reaction.

### Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

# **Precautionary statements**

#### General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

#### Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/container to industrial incineration plant.

#### 2.3 Other hazards

#### Other adverse effects

People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance. Process vapours can irritate airways, skin and eyes.

# **SECTION 3: Composition / information on ingredients**

### **Additional information**

Full text of H- and EUH-statements: see section 16.

#### 3.1/3.2 Substances/Mixtures

### Hazardous ingredients

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide CAS 162881-26-7

0.1 - 2 %

EC 423-340-5

INDEX 015-189-00-5

Skin Sens. 1, H317 / Aquatic Chronic 4, H413



Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

Print date 24.11.2021 Revision date 24.11.2021

Version 1.0

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### **General information**

Change contaminated, saturated clothing.

# Following inhalation

In case of inhalation of decomposition products, affected person should be moved into fresh air and kept still. If breathing is irregular or stopped, administer artificial respiration.

# Following skin contact

Wash immediately with:

Water and soap

# After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

# Following ingestion

If swallowed, immediately drink:

Water. Induce vomiting when the affected person is not unconscious.

# 4.2 Most important symptoms and effects, both acute and delayed

# **Symptoms**

No symptoms known up to now.

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### **Additional information**

The product itself is not combustible. In case of fire and/or explosion do not breathe fumes.

### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2)

Dry extinguishing powder.

Foam

Water spray

### 5.2 Special hazards arising from the substance or mixture

No data available

# 5.3 Advice for firefighters

# Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

# Personal precautions

Wear personal protection equipment. Remove all sources of ignition.



Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

Print date 24.11.2021 Revision date 24.11.2021

Version 1.0

# For emergency responders

# Personal protection equipment

Use appropriate respiratory protection.

# 6.2 Environmental precautions

Do not empty into drains or the aquatic environment.

# 6.3 Methods and material for containment and cleaning up

#### For containment

# Suitable material for taking up

Absorbing material, organic

Sand

# For cleaning up

# Suitable material for diluting or neutralizing

Water

#### 6.4 Reference to other sections

No data available

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Remove contaminated, saturated clothing. Wash contaminated clothing prior to re-use. Wash hands before breaks and after work. Provide eye shower and label its location conspicuously

#### **Protective measures**

#### Advices on safe handling

Avoid:

Skin contact

Eye contact

Always close containers tightly after the removal of product.

#### Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

# **Environmental precautions**

See section 8.

## 7.2 Conditions for safe storage, including any incompatibilities

### Hints on joint storage

### Materials to avoid

Materials to avoid

Oxidising agent

Strong alkali

Alcohols

Reducing agent

### Storage class

No storage class



Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

Print date 24.11.2021 Revision date 24.11.2021

Version 1.0

# Further information on storage conditions

Protect containers against damage.

Protect against:

UV-radiation/sunlight. Keep container tightly closed and in a well-ventilated place.

# storage temperature

Value 15 - 40 °C

# 7.3 Specific end use(s)

No data available

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

No data available

#### 8.2 Exposure controls

# Personal protection equipment

**Eye/face protection** 

# Suitable eye protection

Eye glasses with side protection goggles

### Skin protection

# Suitable gloves type

Disposable gloves

#### Suitable material

NBR (Nitrile rubber)

#### **Body protection**

# Suitable protective clothing

Lab apron. Lab coat.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

## **Appearance**

# **Physical state**

viscous

liquid

# Colour

dark yellow

### Odour

Acrylate

parameter Method - source - remark

Evaporation rate not determined



Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

Print date 24.11.2021 Revision date 24.11.2021

Version 1.0

		parameter	Method - source - remark
Melting point/freezing point			not determined
Boiling point or initial boiling point and boiling range	>100 °C		
flammability			not determined
Upper explosion limit			not determined
lower explosion limit			not determined
Flash point (°C)	>100 °C		
Auto-ignition temperature			not determined
Decomposition temperature			not determined
рН	6.8 - 7.2	Temperature 25 °C	
Soluble (g/L) in			Soluble in:
Soluble (g/L) in			Insoluble in:
Fat solubility			not determined
Water solubility			not determined
Partition coefficient: n-octanol/water			not determined
Vapour pressure	0.0014 mm Hg	Temperature 25 °C	
Vapour density			not determined
Relative density	0.98 - 1.08 g/cm <sup>3</sup>	Temperature 25 °C	
particle characteristics			not determined
Dynamic viscosity	150 - 300 mPa*s	Temperature 25 °C	
flow time			not determined
Kinematic viscosity			not determined

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No information available.

# 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3 Possibility of hazardous reactions

No information available.

# 10.4 Conditions to avoid

In case of light influence:



Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

Print date 24.11.2021 Revision date 24.11.2021

Version 1.0

Danger of polymerisation

# 10.5 Incompatible materials

### Materials to avoid

Reacts with:

Oxidizing agents. Reducing agents. Peroxides.

Radical former

# 10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

Carbon dioxide

Carbon monoxide

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

**Acute toxicity** 

Acute dermal toxicity >2000 mg/kg

**Effective dose** 

LD50:

Species:

Rat.

Acute oral toxicity >5000 mg/kg

**Effective dose** 

LD50:

Species:

Rat.

# Serious eye damage/irritation

In vitro eye test

slightly irritant

Species:

Rabbit.

# Respiratory or skin sensitisation

### Skin sensitisation

#### Assessment/classification

May cause sensitization by inhalation and skin contact.

# **SECTION 12: Ecological information**

12.1 Toxicity

**Aquatic toxicity** 

Acute (short-term) fish toxicity >180 mg/L

**Effective dose** 

LC50:

Test duration 48 h



Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

24.11.2021 Print date Revision date 15.06.2017

Version 1.0

species

Cyprinus carpio (Common Carp)

Acute (short-term) toxicity to crustacea >25 mg/L

Effective dose

EC50

Test duration 48 h

species

Daphnia magna (Big water flea)

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Assessment/classification

not readily biodegradable (according to OECD criteria)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

**Directive 2008/98/EC (Waste Framework Directive)** 

Before intended use

Appropriate disposal / Package

Handle contaminated packaging in the same way as the substance itself.

Waste code product 070208

hazardous waste Yes.

Waste name

other still bottoms and reaction residues

After intended use

**Appropriate disposal / Product** 

Waste disposal according to official state regulations.

Waste code packaging 070208

hazardous waste Yes.

Waste name

14.1 UN-No.

other still bottoms and reaction residues

# **SECTION 14: Transport information**

Land transport (ADR/RID) Air transport (ICAO-TI / IATA-Sea transport (IMDG) DGR)

not applicable not applicable not applicable



Photopolymer Easy Cast 2.0 (including Easy Cast 2.0 C, Easy Cast 2.0 M)

Print date 24.11.2021 Revision date 24.11.2021

Version	1.	0

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.2 Proper Shipping Name	not applicable	not applicable	not applicable
14.3 Class(es)	not applicable	not applicable	not applicable
14.4 Packing group	not applicable	not applicable	not applicable
14.5 ENVIRONMENTALLY HAZARDOUS	not applicable	not applicable	not applicable
14.6 Special precautions for use	er not applicable	not applicable	not applicable
14.7 Maritime transport in bulk according to IMO instruments	not applicable	not applicable	not applicable

# Additional information - Land transport (ADR/RID)

#### remark

Not a hazardous material with respect to these transportation regulations.

# Additional information - Air transport (ICAO-TI / IATA-DGR)

#### remark

Not a hazardous material with respect to these transportation regulations.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available

# 15.2 Chemical Safety Assessment

Irritant

### **SECTION 16: Other information**

#### Additional information

Observe labels and safety data sheets for chemicals used in processing. Notice the directions for use on the label.

# Relevant R-, H- and EUH-phrases (Number and full text)

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

# Key literature references and sources for data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.